



# Diesel & Industrial engine spares

Brisbane Melbourne Perth  
**Komatsu ▶ Cummins ▶ Detroit ▶ Caterpillar**

ABN 29 104 597 695

110 Mica Street Carole Park Qld 4300 Phone 07 3879 4255 Fax 07 3879 4266  
 5 Industry Circuit Kilsyth Vic 3137 Phone 03 9761 4431 Fax 03 8761 6625  
 24 Christable Way Landsdale WA 6065 Phone 08 9303 9122 Fax 08 9303 9123  
[www.dai.com.au](http://www.dai.com.au)

### Abbreviations

"A" = 62" wall  
 "B" = 93" wall  
 "C" = 125" wall  
 "D" = 160" wall  
 "+" = thicker than standard.  
 "S" = Short  
 "L" = Long  
 "F----" = Flange  
 "-----F" = Flats on flange

[sales@dai.com.au](mailto:sales@dai.com.au)  
[sales.melb@dai.com.au](mailto:sales.melb@dai.com.au)  
[perth.sales@dai.com.au](mailto:perth.sales@dai.com.au)

All prices are subject to change without notice

Flange dimensions are found on the last page of this list.

Liner Discounts		Liner Discounts	
6 to 9	10%	20 to 29	20%
10 to 19	15%	30Plus	30%

Overnight Australia wide Via TNT, Toll Priority or your preferred carrier.

Part No	I/D Metric	I/D Imperial	O/D Metric	O/D Imperial	Wall Metric	Wall Imperial	Length Metric	Length Imperial	Notes	Weight KG
2000 B	50.80	2.000	55.80	2.186	2.50	0.093	203.2	8.00		0.75
2000 C	50.80	2.000	57.16	2.250	3.18	0.125	203.2	8.00		1.10
2000 E	50.80	2.000	63.51	2.500	6.36	0.250	203.2	8.00		1.80
2062 C	52.38	2.062	58.73	2.312	3.18	0.125	203.2	8.00		1.00
2125 C	53.98	2.125	60.33	2.375	3.18	0.125	203.2	8.00		1.00
2244 B	57.01	2.244	61.73	2.430	2.36	0.093	203.2	8.00		0.80
2375 B	60.33	2.375	65.06	2.561	2.36	0.093	203.2	8.00		0.80
2504 B	63.51	2.500	68.24	2.686	2.36	0.093	203.2	8.00		0.90
2561 B	65.06	2.561	69.78	2.747	2.36	0.093	203.2	8.00		0.90
2625 B	66.69	2.625	71.41	2.811	2.36	0.093	203.2	8.00		1.00
2677 B	68.01	2.677	72.73	2.863	2.36	0.093	203.2	8.00		1.00
2677 B+S	68.01	2.677	73.50	2.894	2.75	0.108	150.0	5.91		0.90
2750 B	69.86	2.750	74.59	2.936	2.36	0.093	203.2	8.00		1.20
2795AT	71.00	2.795	74.57	2.936	1.78	0.070	203.2	8.00		1.10
2795 B	71.00	2.795	75.73	2.981	2.36	0.093	203.2	8.00		1.10
2875 B	73.04	2.875	77.76	3.061	2.36	0.093	203.2	8.00		1.10
2952 B	74.99	2.952	79.72	3.138	2.36	0.093	203.2	8.00		1.10
2952 B+	75.00	2.953	80.50	3.169	2.75	0.108	203.0	8.00		1.20
3000 B	76.21	3.000	80.94	3.186	2.36	0.093	203.2	8.00		1.20
3031 B	77.00	3.031	81.72	3.217	2.36	0.093	203.2	8.00		1.10
3070B	77.98	3.070	82.70	3.256	2.36	0.093	203.2	8.00		1.20
3122 B	79.31	3.122	84.04	3.308	2.36	0.093	228.6	9.00		1.30
3150B	80.02	3.150	84.75	3.336	2.36	0.093	203.2	8.00		1.10
3150 C	80.02	3.150	86.37	3.400	3.18	0.125	203.2	8.00		1.60
F3169B+T	80.49	3.169	85.50	3.366	2.50	0.098	137.0	5.39		0.80
3188 B	80.98	3.188	85.71	3.374	2.37	0.093	203.2	8.00		1.20
3189 B+	81.00	3.189	86.51	3.406	2.76	0.109	198.4	8.00		1.40
3228 B	82.00	3.228	86.73	3.414	2.36	0.093	203.2	8.00		1.30
3250 B	82.56	3.250	87.29	3.436	2.36	0.093	203.2	8.00		1.30
3250 C	82.56	3.250	88.88	3.499	3.18	0.125	203.0	8.00		1.60
F 3300 C	84.00	3.300	92.96	3.660	3.48	0.138	181.0	7.12	SR20	1.85
3312 B	84.14	3.312	88.86	3.498	2.36	0.093	203.2	8.00		1.20
3312 C	84.14	3.312	90.49	3.562	3.18	0.125	215.9	8.50		1.50
3346 B	85.00	3.346	89.73	3.532	2.36	0.093	228.6	9.00		1.40
3346 B+	85.00	3.346	90.50	3.563	2.75	0.109	230.0	9.06		1.60
3375 B	85.74	3.375	90.46	3.561	2.36	0.093	215.9	8.50		1.70
3375 C	85.74	3.375	92.09	3.625	3.18	0.125	215.9	8.50		1.70

Part No	I/D Metric	I/D Imperial	O/D Metric	O/D Imperial	Wall Metric	Wall Imperial	Length Metric	Length Imperial	Notes	Weight KG
3385B	86.00	3.385	90.72	3.571	2.36	0.093	177.8	7.00		1.20
3385B+	86.00	3.385	91.49	3.602	2.75	0.109	230.1	9.06		1.6
3431 B	87.16	3.431	91.89	3.617	2.36	0.093	215.9	8.50		1.45
3431 C	87.16	3.431	93.51	3.681	3.18	0.125	215.9	8.50		1.50
3500 B	88.91	3.500	93.64	3.686	2.36	0.093	203.2	8.00		1.30
3500 C	88.91	3.500	95.27	3.750	3.18	0.125	228.6	9.00		2.00
3543 B	90.01	3.543	94.73	3.729	2.36	0.093	228.6	9.00	4D55/6	1.50
3562 B	90.49	3.562	95.21	3.748	2.36	0.093	228.6	9.00		1.50
3583 B	91.02	3.583	95.75	3.769	2.36	0.093	228.6	9.00		1.50
3600 C+	91.45	3.600	99.08	3.900	3.81	0.150	228.6	9.00		2.30
3625 B	92.09	3.625	96.81	3.811	2.36	0.093	260.4	10.25		1.90
3625 C	92.09	3.625	98.44	3.875	3.18	0.125	260.4	10.25		2.40
FJ 3625 B	92.09	3.625	96.81	3.811	2.36	0.093	178.0	7.00	JAG	1.30
FJ 3625 B+	92.09	3.625	97.22	3.827	2.57	0.101	178.0	7.00	JAG	1.30
3661 C	93.00	3.661	99.50	3.917	3.25	0.128	230.0	9.06		2.00
3680 A	93.49	3.680	96.64	3.804	1.58	0.062	158.8	6.25		0.70
3680 B	93.49	3.680	98.21	3.866	2.36	0.093	158.8	6.25		1.10
3687 B	93.66	3.687	98.39	3.873	2.36	0.093	228.6	9.00		1.50
3687 C	93.66	3.687	100.02	3.937	3.18	0.125	228.6	9.00		1.90
F 3700 B	94.00	3.700	98.42	3.875	2.03	0.080	139.7	5.50	ROVER	0.90
OSF3700B	94.00	3.700	98.80	3.890	2.41	0.095	139.7	5.50	ROVER	1.00
3701 C	94.00	3.701	100.51	3.957	3.26	0.128	230.0	9.06	6VD1	2.10
3740 C	95.00	3.740	101.50	3.996	3.25	0.128	230.0	9.06		2.10
3750 B	95.27	3.750	99.99	3.936	2.36	0.093	241.3	9.50		1.70
3750 C	95.27	3.750	101.62	4.000	3.18	0.125	241.3	9.50		2.00
3812 B	96.85	3.813	101.57	3.998	2.36	0.093	241.3	9.50		1.80
F3850 C	97.79	3.850	104.52	4.115	3.38	0.133	140.0	5.51	GEN 3 (5.7L)	1.50
3858 C	98.00	3.858	104.50	4.114	3.25	0.128	300.0	11.81		2.80
3875 B	98.44	3.875	103.17	4.061	2.36	0.093	241.3	9.50		1.80
3875 C	98.44	3.875	104.79	4.125	3.18	0.125	241.3	9.50		2.10
F 3918	99.50	3.918	108.00	4.252	4.25	0.167	125.0	4.92	Subaru	1.60
3937 B	100.02	3.937	104.74	4.123	2.36	0.093	311.2	12.25		2.10
3976 C	101.00	3.976	107.49	4.232	3.25	0.128	230.0	9.00		2.20
3976 CL	101.00	3.976	107.49	4.232	3.25	0.128	300.0	11.88		2.90
F 4000 G	101.60	4.000	106.68	4.200	2.54	0.100	140.0	5.51	Gen 3 (6.0L)	1.20
4001 B	101.64	4.001	106.37	4.187	2.36	0.093	260.4	10.25		2.10
4001 C	101.64	4.001	107.99	4.251	3.18	0.125	260.4	10.25		2.20
F 4001 C	99.08	3.900	107.97	4.250	4.45	0.175	267.0	10.50		3.00
4001 D	101.62	4.000	109.77	4.321	4.08	0.161	260.4	10.25		3.00
4004 B	101.62	4.000	106.34	4.186	2.36	0.093	152.4	6.00		1.20
4004 C	101.62	4.000	107.97	4.250	3.18	0.125	152.4	6.00		1.40
4004 D	101.62	4.000	109.75	4.320	4.06	0.160	152.4	6.00		1.70
6736-29-2110	102.00	4.015	104.52	4.115	1.27	0.050	200.0	7.88	Cumm B/Komatsu102	1.10
4062 B	103.19	4.062	107.92	4.248	2.36	0.093	266.7	10.50		2.20
4095 C	104.00	4.095	110.49	4.350	3.25	0.128	300.0	11.81		3.00
4125 B	104.79	4.125	109.52	4.311	2.36	0.093	266.7	10.50		2.10
F4125B1	104.79	4.125	110.49	4.350	2.86	0.113	138.0	5.43	1 Flat	1.20
4125 C	104.79	4.125	111.14	4.375	3.18	0.125	266.7	10.50		2.70
4220 B	107.20	4.220	111.93	4.406	2.36	0.093	266.7	10.50		2.40
4220 C	107.20	4.220	112.79	4.440	2.79	0.110	266.7	10.50		2.70
4250 B	107.97	4.250	112.69	4.436	2.36	0.093	311.2	12.25		2.10
4250B+T	107.97	4.250	112.78	4.440	2.41	0.095	266.7	10.50		3.10
4250 C	107.97	4.250	114.32	4.500	3.18	0.125	311.2	12.25		3.10
4312 C	109.52	4.312	115.88	4.562	3.18	0.125	311.0	12.25		3.20
4375 C	111.14	4.375	117.49	4.625	3.18	0.125	311.2	12.25		3.20
4400 B+	111.78	4.400	117.37	4.620	2.79	0.110	311.2	12.25		2.90
4400C	111.78	4.400	118.11	4.650	3.18	0.125	311.2	12.25		3.20
4400D	111.78	4.400	119.89	4.720	4.06	0.160	311.2	12.25		3.70
4410 D	112.00	4.410	119.99	4.724	4.00	0.157	230.1	9.06		3.90
4450 C	113.05	4.450	119.40	4.700	3.18	0.125	266.7	12.25		2.50
4500 B	114.32	4.500	119.04	4.686	2.36	0.093	311.2	12.25		2.60
4500 C	114.32	4.500	120.67	4.750	3.18	0.125	311.2	12.25		2.90
4500 D	114.32	4.500	122.45	4.820	4.06	0.160	311.2	12.25		4.10
C4500B	114.32	4.500	119.04	4.686	2.36	0.093	197.0	7.75	CAT 3208-9N6275	1.7
C4500C	114.32	4.500	120.67	4.750	3.18	0.125	197.0	7.75	CAT 3208	2.00

Part No	I/D Metric	I/D Imperial	O/D Metric	O/D Imperial	Wall Metric	Wall Imperial	Length Metric	Length Imperial		Weight KG
C 4500 D	114.32	4.500	122.43	4.820	4.06	0.160	197.0	7.75	CAT 3208	2.60
4625 B	117.49	4.625	122.22	4.811	2.36	0.093	311.2	12.25		2.60
4625 C	117.49	4.625	123.84	4.875	3.18	0.125	311.2	12.25		3.70
4646 D	118.00	4.646	126.01	4.961	4.01	0.158	300.0	11.81		3.90
4724 D	120.00	4.724	127.99	5.039	4.00	0.158	300.0	11.81		4.00
4750 B	120.67	4.750	125.39	4.936	2.36	0.093	311.2	12.25		3.60
4750 C	120.67	4.750	127.02	5.000	3.18	0.125	311.2	12.25		3.40
4875 C	123.84	4.875	130.20	5.125	3.18	0.125	311.2	12.25		4.80
5000 B	127.02	5.000	131.75	5.186	2.36	0.093	311.2	12.25		2.80
5000C+	127.02	5.000	134.62	5.300	3.81	0.150	311.2	12.25		3.80
5125 B	130.20	5.125	134.92	5.311	2.36	0.093	323.9	12.75		2.80
5125 C	130.20	5.125	136.55	5.375	3.18	0.125	323.9	12.75		3.60
5250 C	133.37	5.250	139.72	5.500	3.18	0.125	323.9	12.75		3.60
5500 C	139.72	5.500	146.07	5.750	3.18	0.125	304.8	12.00		4.00
5500 CL	139.72	5.500	146.07	5.750	3.18	0.125	431.9	17.00		5.30
5625 B	142.90	5.625	147.62	5.811	2.36	0.093	228.6	9.00		2.30
5750 CL	146.07	5.750	152.42	6.000	3.18	0.125	431.9	17.00		5.50
5875 CL	149.25	5.875	155.60	6.125	3.18	0.125	431.9	17.00		5.50
5906 D	150.00	5.906	158.01	6.221	4.01	0.158	300.0	11.81		5.00
6024 C+	153.00	6.024	160.00	6.299	3.50	0.103	300.0	11.81		5.10
6125 C	155.58	6.125	161.93	6.375	3.18	0.125	432.0	17.00		5.10
6220 C	158.01	6.220	164.36	6.470	3.18	0.125	323.9	12.75		3.30
6250CL	158.78	6.500	165.13	6.500	3.18	0.125	444.6	17.50		6.20
6500 C	165.13	6.500	171.48	6.750	3.18	0.125	323.9	12.00		6.60
7000 C	177.80	7.000	184.15	7.250	3.18	0.125	559.0	22.00		9.10
7500 B	190.53	7.500	195.26	7.686	2.36	0.093	323.9	12.75		4.90
7500 C	190.53	7.500	196.88	7.750	3.18	0.125	323.9	12.75		5.80
7500 CL	190.53	7.500	196.88	7.750	3.18	0.125	558.9	22.00		8.00
7875C	200.03	7.875	206.38	8.13	3.180	0.125	558.9	22.00		10.5

## REMEMBER WE HAVE PARTS TO SUIT:

### CUMMINS

B/ISB Series, C/ISC Series, Small V, V/VT903, NH220, NT855, N14, L10/ISL, M11/ISM, ISX/QSX, K Series, V1710

### KOMATSU

95 Series, 102 Series, 105 Series, 108 Series, 110 Series, 114 Series, 125 Series, 140 Series, 155 Series, 170 Series

### DETROIT

Series 60 11.1, 12.7 and 14 Litre

### CATERPILLAR

3200, 3300, 3400, 3500, C12 and C15

### FLANGE DIMENSIONS

Part No	OD	OD	Thick	Thick
	Metric	Imperial	Metric	Imperial
F3169B+T	89.00	3.504	3.99	0.157
F 3300 C	101.60	4.000	6.35	0.250
FJ 3625 B	100.10	3.941	6.75	0.266
F 3700 B	104.70	4.122	5.12	0.205
F 3850 C	108.00	4.250	8.00	0.300
F 3918	113.00	4.449	4.50	0.177
F 4000 G	108.00	4.250	8.00	0.300
F 4001 C	114.30	4.500	6.35	0.250
F4125B1	113.82	4.481	4.57	0.180
OSF3700B	105.15	4.140	5.12	0.205

### HOLLOW CAST

Part No	I/D	I/D	O/D	O/D	Wall	Wall	Length	Length	Notes	Weight
	Metric	Imperial	Metric	Imperial	Metric	Imperial	Metric	Imperial		KG
70-105	70.00	2.750	105.00	4.100	17.50	0.689	381.0	15.00		15
95-130	95.00	3.740	130.00	5.100	17.50	0.689	381.0	15.00		22
120-160	120.00	4.700	160.00	6.300	20.00	0.787	381.0	15.00		25
145-185	145.00	5.700	185.00	7.000	20.00	0.787	381.0	15.00		30

### CYLINDER BLOCK LINER SEAL INSERTS

Part No	I/D	I/D	O/D	O/D			Length	Length	Notes	Weight
	Metric	Imperial	Metric	Imperial			Metric	Imperial		KG
LD3300	134.62	5.300	138.40	5.449			38.0	1.50	Cat 3300	0.400
4W6061	153.92	6.060	157.99	6.220			40.0	1.58	Cat 3400	0.500
4W6061OS	153.92	6.060	158.24	6.230			40.0	1.58	Cat 3400	0.500
LD140	156.72	6.170	163.15	6.423			43.0	1.70	Kom 140	0.800
LD170	189.23	7.450	195.22	7.686			41.0	1.61	Kom 170	0.700
LD3500	193.67	7.625	198.73	7.824			44.5	1.75	Cat 3500	0.800
3375306	154.95	6.100	158.75	6.250			44.5	1.75	Cumm NT	

### CYLINDER BLOCK UPPER DECK INSERTS

Part No	I/D	I/D	O/D	O/D			Length	Length	Notes	Weight
	Metric	Imperial	Metric	Imperial			Metric	Imperial		KG
UD-140	160.00	6.300	174.50	6.870			19.5	0.77	Kom 140	
UD-K	181.00	7.125	194.00	7.637			30.5	1.20	Cumm K	
UD3300	138.68	5.460	147.75	5.817			3.2	0.13	Cat3300DI	5P4174
UD3300PC	138.68	5.460	144.78	5.700			2.5	0.10	3300PC	
UD3400	158.88	6.255	168.40	6.630			3.2	0.13	Cat 3400	5P4173
23525500	149.30	5.877	162.05	6.630			15.3	0.60	Ser 60	
3822959	160.00	6.299	171.50	6.752			19.1	0.75	Cumm NT	
3822960	160.00	6.299	171.75	6.762			19.1	0.75	Cumm NT .010 O/S	